

**LENOX**  
*ALWAYS HUNGRY™*



**AEROWOLF™ TRI-TECH PRO™  
BAND SAW BLADES**



## TRI-TECH PRO™

SET-STYLE CARBIDE BLADE FOR DIFFICULT TO CUT APPLICATIONS

### UP TO 2X LIFE CUTTING HIGH STRENGTH ALLOYS\*

Tough carbide grade treated with HONEX Technology™ reduces edge chipping for more cuts

Optimized geometry strengthens the cutting edges and evenly distributes tooth wear

### CUT MORE. PINCH LESS.™\*

Reinforced set-style design reduces strain and minimizes pinching in high stress metals

### EXTREMELY VERSATILE

Cuts a range of metals from high strength steels to Nickel-based alloys



WIDTH X THICKNESS		TPI				
IN	MM	0.9/1.1	1.0/1.4	1.4/2.0	2/3	3/4
1-1/4 x .042	34 x 1.07			X	X	X
1-1/2 x .050	41 x 1.27			X	X	X
2 x .063	54 x 1.60	X	X	X	X	X
2-5/8 x .063	67 x 1.60	X	X	X*		
3 x .063	80 x 1.60	X*				

\* EHS Specification




AEROSPACE

DEFENSE

ENERGY

## MATERIALS

**PRIMARY**




STAINLESS STEELS  
NICKEL ALLOYS  
TITANIUM

**SECONDARY**



TOOL STEELS  
ALLOY, BEARING STEELS



**UP TO**  
**2X**  
**BLADE LIFE™\***  
*vs previous Tri-Tech design*



\*vs Tri-Tech cutting 10-inch rounds of XM19.

LENOX®

TRI-TECH™ PRO



Customer Service: 800-628-8810  
Technical Support: 800-642-0010  
[industrial.cutwithlenox.com](http://industrial.cutwithlenox.com)

301 Chestnut Street,  
East Longmeadow, MA 01028-0504 USA

**LXBSTRITECHBR**

Copyright © 2022 LENOX.